


# HP *mosaics*





**1" Arlet  
HP1HAR  
(Satin)**



**1" Bittor  
HP1HBI  
(Satin)**



**1" Blend Fossil  
HP1HBF  
(Stone/Matte  
/Iridis)**



**1" Blend  
Pattern 1  
HP1HBP1  
(Matte)**



**1" Blend  
Pattern 2  
HP1HBP2  
(Matte)**




**1" Blend  
Pattern 3  
HP1HBP3  
(Matte)**




**1" Blend  
Pattern 4  
HP1HBP4  
(Matte)**




**1" Blend Shadow  
HP1HBS  
(Stone/Matte  
/Iridis)**




**1" Carel  
HP1HC  
(Satin)**



**1" Danae  
HP1HD  
(Satin)**



**1" Denim Copper  
HP1HDC  
(Shiny)**



**1" Eloa  
HP1HEL  
(Satin)**



**1" Emma  
HP1HE  
(Matte)**



**1" Matte  
Abuhna  
HP1HMA  
(Matte/Shiny)**




**1" Matte  
Arabescato  
Gold  
HP1HMAG  
(Matte/Shiny)**



**1" Matte  
Beray  
HP1HMB  
(Matte/Shiny)**




**1" Matte  
Black Rock  
HP1HMBR  
(Matte)**



**1" Matte  
Brescia  
HP1HMBRE  
(Matte/Shiny)**




**1" Matte  
Calacatta  
HP1HMC  
(Matte)**




**1" Matte  
Crema Marfil  
HP1HMCM  
(Matte)**



**1" Matte Ivett  
HP1HMIV  
(Matte)**



**1" Matte  
Marquina  
HP1HMMAR  
(Matte)**




**1" Matte Misty  
HP1HMMIS  
(Matte)**




**1" Matte  
Shabby Terra  
HP1HMST  
(Matte)**




**1" Matte  
Yada  
HP1HMY  
(Matte/Shiny)**



**1" Matte  
Normatech  
Antracite  
HP1HMNA  
(Matte)**



**1" Matte  
Normatech  
Dark Taupe  
HP1HMNDT  
(Matte)**



**1" Matte  
Normatech  
Grey  
HP1HMNG  
(Matte)**



**1" Matte  
Normatech  
Ivory  
HP1HMNI  
(Matte)**




**1" Matte  
Normatech  
Sand  
HP1HMNS  
(Matte)**



**1" Umber  
HP1HU  
(Matte)**



**1" Matte  
Venato White  
HP1HMOV  
(Matte)**



**1" Yadel  
HP1HY  
(Satin)**




**1" Zement Grey  
HP1HZG  
(Matte)**



**Connect with Us!  
98% RECYCLED GLASS  
Made in Spain**



**2" Arlet  
HP2HAR  
(Satin)**




**2" Bittor  
HP2HBI  
(Satin)**



**2" Blend Zelik  
HP2HBZ  
(Matte/Glossy)**




**2" Carel  
HP2HC  
(Satin)**



**2" Danae  
HP2HD  
(Satin)**



**2" Denim Copper  
HP2HDC  
(Shiny)**



**2" Eloa  
HP2HEL  
(Satin)**



**2" Fossil  
HP2HF  
(Matte/Stone  
/Iridis)**



**2" Matte  
Abuhna  
HP2HMA  
(Matte/Shiny)**



**2" Matte  
Arabescato Gold  
HP2HMAG  
(Matte/Shiny)**



**2" Matte  
Beray  
HP2HMB  
(Matte/Shiny)**



**2" Matte  
Black Rock  
HP2HMBR  
(Matte)**



**2" Matte  
Brescia  
HP2HMBRE  
(Matte/Shiny)**




**2" Matte  
Calacatta  
HP2HMC  
(Matte)**



**2" Matte  
Fosco  
HP2HMF  
(Matte)**



**2" Matte Ivet  
HP2HMIV  
(Matte)**



**2" Matte  
Normatech  
Antracite  
HP2HMNA  
(Matte)**



**2" Matte  
Normatech  
Dark Taupe  
HP2HMNDT  
(Matte)**



**2" Matte  
Normatech  
Grey  
HP2HMNG  
(Matte)**



**2" Matte  
Normatech  
Ivory  
HP2HMNI  
(Matte)**



**2" Matte  
Normatech  
Sand  
HP2HMNS  
(Matte)**



**2" Matte  
Shabby Terra  
HP2HMST  
(Matte)**




**2" Matte  
Venato White  
HP2HMVW  
(Matte)**




**2" Matte  
Yada  
HP2HMY  
(Matte/Shiny)**



**2" Stone Blend  
Soft  
HP2HSBS  
(Stone)**




**2" Stone Glass  
Black  
HP2hsgb  
(Stone)**




**2" Stone Glass  
Gainsboro  
HP2hsgG  
(Stone)**



**2" Stone Glass  
Opalo Black  
HP2hsgob  
(Stone/Iridis)**



**2" Stone Glass  
White  
HP2hsgW  
(Stone)**











**2" Yadel  
HP2HY  
(Satin)**



**Connect with Us!  
98% RECYCLED GLASS  
Made in Spain**

# HEXAGON - 1" MATTE

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	See Below
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH A
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	See Below
 Shade Variation	See Below	Slight Variation	V2

### Colors Featured in HP 1" Hexagon Matte Finish:

Abuhna Matte, Arabescato Gold Matte, Beray Matte, Brescia Matte, Calacatta Matte, Crema Marfil Matte, Emma Matte, Marquina Matte, Matte Black Rock, Matte Ivet, Misty Matte, Normatech Antracite Matte, Normatech Dark Taupe Matte, Normatech Grey Matte, Normatech Ivory Matte, Normatech Sand Matte Matte, Shabby Terra Matte, Umber, Venato White Matte, Yada Matte, Zement Grey

#### Abrasion Resistance Colors:

4: Emma, Umber, Zement Grey  
5: All Remaining Colors

#### Dynamic Coefficient of Friction Colors:

0.42: Abuhna Matte, Calacatta Matte, Shabby Terra Matte, Yada Matte

0.60: Arabescato Gold Matte, Beray Matte, Brescia Matte, Crema Marfil Matte, Marquina Matte, Matte Black Rock, Matte Ivet, Normatech Antracite Matte, Normatech Dark Taupe Matte, Normatech Grey Matte, Normatech Ivory Matte, Normatech Sand Matte Matte, Umber, Venato White Matte, Zement Grey

N/A: Emma Matte, Misty Matte



V1

Uniform appearance



V2

Slight Variation



V3

Moderate Variation











V4

Substantial Variation

For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON - 1" MATTE, IRIDIS & STONE

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	4
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH A
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	N/A
 Shade Variation	See Below	Slight Variation	V2

Colors Featured in HP Hexagon 1" Matte, Iridis & Stone Finish:









Blend Fossil, Blend Shadow



For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON PATTERNS - 1" MATTE

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	5
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH A
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	0.62
 Shade Variation	See Below	Slight Variation	V2

Colors Featured in HP Hexagon 1" Pattern Blends Matte Finish:

Blend Pattern 1, Blend Pattern 2, Blend Pattern 3, Blend Pattern 4



V1

Uniform appearance



V2

Slight Variation



V3

Moderate Variation











V4

Substantial Variation

For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON - 1" SATIN

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	5
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH A
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	0.42
 Shade Variation	See Below	Substantial Variation	V4

Colors Featured in HP Hexagon 1" Satin Finish:









Arlet, Bittor, Carel, Danae, Eloa, Yadel



For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON - 1" MATTE & SHINY

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	No
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	4
 Frost resistance	ISO 10545-12	ISO 10545-12	Yes
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH A
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Yes
 Dynamic coefficient of friction	BOT 3000E	Not Applicable; Wall Tile Only	
 Shade Variation	See Below	Moderate Variation	V3

Colors Featured in HP 1" Hexagon Matte Finish:

Denim Copper



V1

Uniform appearance



V2

Slight Variation



V3

Moderate Variation



V4









Substantial Variation

For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON - 2"

## GLOSSY & MATTE

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	4
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH A
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137-1	N/A
 Shade Variation	See Below	Slight Variation	V2

Colors Featured in HP Hexagon 2" Glossy & Matte Finish:

Blend Zelik XL



V1

Uniform appearance



V2

Slight Variation



V3

Moderate Variation











V4

Substantial Variation

For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON - 2" MATTE & IRIDIS

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	4
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH A
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	N/A
 Shade Variation	See Below	Slight Variation	V2

Colors Featured in HP Hexagon 2" Matte & Iridis Finish:

Stone Glass Opalo Black



V1

Uniform appearance



V2

Slight Variation



V3

Moderate Variation











V4

Substantial Variation

For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON - 2" MATTE

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	5
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH A
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	See Below
 Shade Variation	See Below	Slight Variation	V2

### Colors Featured in HP 2" Hexagon Matte Finish:

Abuhna Matte, Arabescato Gold Matte, Beray Matte, Brescia Matte, Calacatta Matte, Matte Black Rock, Matte Ivet, Normatech Antracite Matte, Normatech Dark Taupe Matte, Normatech Grey Matte, Normatech Ivory Matte, Normatech Sand Matte, Shabby Terra Matte, Venato White Matte, Yada Matte

### Dynamic Coefficient of Friction Colors:

0.42: Abuhna Matte, Shabby Terra Matte, Yada Matte

0.60: Arabescato Gold Matte, Beray Matte, Brescia Matte, Calacatta Matte, Matte Black Rock, Matte Ivet, Normatech Antracite Matte, Normatech Dark Taupe Matte, Normatech Grey Matte, Normatech Ivory Matte, Normatech Sand Matte, Venato White Matte,



V1

Uniform appearance



V2

Slight Variation



V3

Moderate Variation











V4

Substantial Variation

For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON - 2" SATIN

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	5
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH A
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	0.42
 Shade Variation	See Below	Substantial Variation	V4









Colors Featured in HP Hexagon 2" Satin Finish:  
Arlet, Bittor, Carel, Danae, Eloa, Yadel



For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON - 2" STONE

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	9
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GH
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	A Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	0.42
 Shade Variation	See Below	Slight Variation	V2

## Colors Featured in HP Hexagon 2" Stone Finish:

Stone Blend Soft, Stone Glass Black, Stone Glass Gainesboro, Stone Glass White



Uniform appearance

V1



Slight Variation

V2



Moderate Variation

V3











Substantial Variation

V4

For the best product laying results, material from at least three boxes should be mixed.




# HEXAGON - 2" MATTE, IRIDIS & STONE

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	4
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GHA
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	N/A
 Shade Variation	See Below	Substantial Variation	V2

## Colors Featured in HP Hexagon 2" Matte, Iridis & Stone Finish:









Fossil



For the best product laying results, material from at least three boxes should be mixed.



# HEXAGON - 2" MATTE & SHINY

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	No
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	4
 Frost resistance	ISO 10545-12	ISO 10545-12	Yes
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GHA
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Yes
 Dynamic coefficient of friction	BOT 3000E	Not Applicable; Wall Tile Only	
 Shade Variation	See Below	Moderate Variation	V3

Colors Featured in HP 2" Hexagon Matte Finish:

Denim Copper



Uniform appearance

V1



Slight Variation

V2



Moderate Variation

V3



Substantial Variation

V4

For the best product laying results, material from at least three boxes should be mixed.

